

FUSILADE FORTE

Version	Revision Date:	SDS Number:	Date of last issue:
8.1	24.07.2026	S165026034	03.08.2021
			Date of first issue: 03.08.2021

SECTION 1: IDENTIFICATION

Product name : FUSILADE FORTE

Design code : A12715A

Manufacturer or supplier's detailsCompany : Syngenta Australia Pty Ltd (ABN 33 002 933 717)
www.syngenta.com.auAddress : 2 Lyonpark Road
Macquarie Park NSW 2113
Australia

Telephone : (02) 8014 5200

Emergency telephone number : 13 11 26 (Poison Information Centre)
1800 033 111 (Syngenta)

Telefax : (02) 8876 8446

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Flammable liquids : Category 4

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H227 Combustible liquid.
H317 May cause an allergic skin reaction.
H361 Suspected of damaging fertility or the unborn child.Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

FUSILADE FORTE

Version 8.1	Revision Date: 24.07.2026	SDS Number: S165026034	Date of last issue: 03.08.2021 Date of first issue: 03.08.2021
----------------	------------------------------	---------------------------	---

P261 Avoid breathing mist or vapours.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 Store in a well-ventilated place.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
(E)-18-ethoxyoctadec-3-ene	68920-66-1	>= 10 -< 30
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	>= 10 -< 30
fluazifop-P-butyl (ISO)	79241-46-6	>= 10 -< 30
octan-1-ol	111-87-5	>= 10 -< 30
calcium dodecylbenzenesulphonate	26264-06-2	>= 1 -< 3
2-methylpropan-1-ol	78-83-1	>= 1 -< 3

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.

FUSILADE FORTE

Version 8.1	Revision Date: 24.07.2026	SDS Number: S165026034	Date of last issue: 03.08.2021 Date of first issue: 03.08.2021
----------------	------------------------------	---------------------------	---

- In case of eye contact : Wash contaminated clothing before re-use.
: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
- If swallowed : Immediate medical attention is required.
: If swallowed, seek medical advice immediately and show this container or label.
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.
- Most important symptoms and effects, both acute and delayed : Aspiration may cause pulmonary oedema and pneumonitis.
- Notes to physician : There is no specific antidote available.
Treat symptomatically.
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
Flash back possible over considerable distance.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Fluorine compounds
Sulphur oxides
- Specific extinguishing methods : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.
- Hazchem Code : •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
Keep people away from and upwind of spill/leak.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

FUSILADE FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 03.08.2021
8.1	24.07.2026	S165026034	Date of first issue: 03.08.2021

Remove all sources of ignition.

Pay attention to flashback.

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
Use only in an area containing flame proof equipment.
Take precautionary measures against static discharges.
For personal protection see section 8.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from combustible material.
Keep in an area equipped with sprinklers.
Keep away from food, drink and animal feedingstuffs.
No smoking.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-65-0	TWA (Mist)	5 mg/m ³	AU OEL
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
fluazifop-P-butyl (ISO)	79241-46-6	TWA	0.1 mg/m ³	Syngenta
2-methylpropan-1-ol	78-83-1	TWA	50 ppm 152 mg/m ³	AU OEL
		TWA	50 ppm	ACGIH

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

FUSILADE FORTE

Version 8.1	Revision Date: 24.07.2026	SDS Number: S165026034	Date of last issue: 03.08.2021 Date of first issue: 03.08.2021
----------------	------------------------------	---------------------------	---

CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.
Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

Personal protective equipment should comply with relevant national standards

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

FUSILADE FORTE

Version 8.1	Revision Date: 24.07.2026	SDS Number: S165026034	Date of last issue: 03.08.2021 Date of first issue: 03.08.2021
----------------	------------------------------	---------------------------	---

Appearance	:	clear to slightly turbid, liquid
Colour	:	light brown to dark brown
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	4 - 8 Concentration: 1 %w/v
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	86 °C Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	0.948 g/cm ³ (25 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	265 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	54.1 - 54.8 mPa,s (20 °C) 22.1 - 22.4 mPa,s (40 °C)
Viscosity, kinematic	:	22 mm ² /s (40 °C)
Explosive properties	:	Not explosive

FUSILADE FORTE

Version 8.1	Revision Date: 24.07.2026	SDS Number: S165026034	Date of last issue: 03.08.2021 Date of first issue: 03.08.2021
----------------	------------------------------	---------------------------	---

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : 32.4 mN/m, 20 °C

Particle characteristics
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity**Product:**

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Components:**fluazifop-P-butyl (ISO):**

Acute oral toxicity : LD50 (Rat, female): 2,451 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,110 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

octan-1-ol:

FUSILADE FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 03.08.2021
8.1	24.07.2026	S165026034	Date of first issue: 03.08.2021

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.6 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

2-methylpropan-1-ol:

Acute oral toxicity : LD50 (Rat): 2,830 - 3,350 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 24.6 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): 2,460 mg/kg

Skin corrosion/irritation**Product:**

Species : Rabbit
Result : Mild skin irritation

Components:**(E)-18-ethoxyoctadec-3-ene:**

Species : Rabbit
Result : Irritating to skin.

fluazifop-P-butyl (ISO):

Species : Rabbit
Result : No skin irritation

octan-1-ol:

Species : Rabbit
Result : No skin irritation

calcium dodecylbenzenesulphonate:

Result : Irritating to skin.

2-methylpropan-1-ol:

Result : Irritating to skin.

FUSILADE FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 03.08.2021
8.1	24.07.2026	S165026034	Date of first issue: 03.08.2021

Serious eye damage/eye irritation**Product:**

Species	:	Rabbit
Result	:	No eye irritation

Components:**fluazifop-P-butyl (ISO):**

Species	:	Rabbit
Result	:	No eye irritation

octan-1-ol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

calcium dodecylbenzenesulphonate:

Result	:	Irreversible effects on the eye
--------	---	---------------------------------

2-methylpropan-1-ol:

Result	:	Risk of serious damage to eyes.
--------	---	---------------------------------

Respiratory or skin sensitisation**Product:**

Test Type	:	Buehler Test
Species	:	Guinea pig
Result	:	May cause sensitisation by skin contact.

Components:**fluazifop-P-butyl (ISO):**

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Result	:	The product is a skin sensitiser, sub-category 1B.

octan-1-ol:

Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

2-methylpropan-1-ol:

Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.
Remarks	:	Information given is based on data obtained from similar substances.

FUSILADE FORTE

Version 8.1	Revision Date: 24.07.2026	SDS Number: S165026034	Date of last issue: 03.08.2021 Date of first issue: 03.08.2021
----------------	------------------------------	---------------------------	---

Chronic toxicity**Germ cell mutagenicity****Components:****(E)-18-ethoxyoctadec-3-ene:**

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

fluazifop-P-butyl (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

octan-1-ol:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity**Components:****fluazifop-P-butyl (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

octan-1-ol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity**Components:****fluazifop-P-butyl (ISO):**

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

octan-1-ol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

STOT - single exposure**Components:****fluazifop-P-butyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

octan-1-ol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

FUSILADE FORTE

Version 8.1	Revision Date: 24.07.2026	SDS Number: S165026034	Date of last issue: 03.08.2021 Date of first issue: 03.08.2021
----------------	------------------------------	---------------------------	---

2-methylpropan-1-ol:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.
The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT - repeated exposure**Components:****fluazifop-P-butyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

octan-1-ol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity**Components:****Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

May be fatal if swallowed and enters airways.

2-methylpropan-1-ol:

May be harmful if swallowed and enters airways.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.2 mg/l
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.13 mg/l
End point: Growth rate
Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.42 mg/l
End point: Growth rate
Exposure time: 72 h

Components:**(E)-18-ethoxyoctadec-3-ene:**

FUSILADE FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 03.08.2021
8.1	24.07.2026	S165026034	Date of first issue: 03.08.2021

Toxicity to fish	:	LC50 (Fish): > 1 - < 10 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Invertebrates): > 1 - < 10 mg/l
Toxicity to algae/aquatic plants	:	EC50 (algae): > 1 - < 10 mg/l Exposure time: 72 h Remarks: Information taken from reference works and the literature.
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): > 0.1 - < 1 mg/l Exposure time: 30 d Remarks: Information taken from reference works and the literature.
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): > 0.01 - < 0.1 mg/l Exposure time: 21 d
fluazifop-P-butyl (ISO):		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 1.37 mg/l Exposure time: 96 h LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.53 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 48 h EC50 (Americamysis bahia (Opossum Shrimp)): 0.54 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 1.8 mg/l Exposure time: 96 h NOEC (Raphidocelis subcapitata (freshwater green alga)): 1.8 mg/l End point: Growth rate Exposure time: 96 h ErC50 (Navicula pelliculosa (Freshwater diatom)): 1.4 mg/l Exposure time: 72 h NOEC (Navicula pelliculosa (Freshwater diatom)): 0.34 mg/l End point: Growth rate Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.077 mg/l Exposure time: 37 d Test Type: Early-life Stage NOEC (Oncorhynchus mykiss (rainbow trout)): 0.25 mg/l Exposure time: 21 d
Toxicity to daphnia and other	:	NOEC (Daphnia magna (Water flea)): 0.25 mg/l

FUSILADE FORTE

Version 8.1	Revision Date: 24.07.2026	SDS Number: S165026034	Date of last issue: 03.08.2021 Date of first issue: 03.08.2021
----------------	------------------------------	---------------------------	---

aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d

NOEC (Americamysis): 0.048 mg/l
Exposure time: 28 d

octan-1-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 13.3 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 20 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 14 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1 mg/l
Exposure time: 21 d

calcium dodecylbenzenesulphonate:

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

2-methylpropan-1-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 1,100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 1,799 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 20 mg/l
Exposure time: 21 d

Persistence and degradability

Components:

(E)-18-ethoxyoctadec-3-ene:

Biodegradability : Result: Readily biodegradable.

fluazifop-P-butyl (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Remarks: Product is not persistent.

octan-1-ol:

Biodegradability : Result: Readily biodegradable.

FUSILADE FORTE

Version 8.1	Revision Date: 24.07.2026	SDS Number: S165026034	Date of last issue: 03.08.2021 Date of first issue: 03.08.2021
----------------	------------------------------	---------------------------	---

2-methylpropan-1-ol:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential**Components:****fluazifop-P-butyl (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: > 5.3 (25 °C)

Mobility in soil**Components:****fluazifop-P-butyl (ISO):**

Distribution among environmental compartments : Remarks: Slightly mobile in soils

Stability in soil : Dissipation time: 0.36 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects**Components:****(E)-18-ethoxyoctadec-3-ene:**

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

fluazifop-P-butyl (ISO):

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

octan-1-ol:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

2-methylpropan-1-ol:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	: Where possible recycling is preferred to disposal or incineration. It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.
Contaminated packaging	: Dispose of as unused product.

FUSILADE FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 03.08.2021
8.1	24.07.2026	S165026034	Date of first issue: 03.08.2021

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUAZIFOP-P-BUTYL)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes
Remarks	: This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (FLUAZIFOP-P-BUTYL)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes
Remarks	: This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUAZIFOP-P-BUTYL)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes
Remarks	: This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**ADG**

UN number	: UN 3082
-----------	-----------

FUSILADE FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 03.08.2021
8.1	24.07.2026	S165026034	Date of first issue: 03.08.2021

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(FLUAZIFOP-P-BUTYL)

Class : 9

Packing group : III

Labels : 9

Hazchem Code : •3Z

Environmentally hazardous : yes

Remarks : Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the Australian Dangerous Goods Code when transported by road or rail in: packagings, IBC's, or any other receptacle not exceeding 500 kg / 500 litres.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Therapeutic Goods (Poisons : Schedule 6
Standard) Instrument

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

Product Registration Number : APVMA Approval No. 58521

SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision Date : 24.07.2026
Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

Syngenta : Syngenta Occupational Exposure Limit

ACGIH / TWA : 8-hour, time-weighted average

AU OEL / TWA : Exposure standard - time weighted average

Syngenta / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

FUSILADE FORTE

Version	Revision Date:	SDS Number:	Date of last issue: 03.08.2021
8.1	24.07.2026	S165026034	Date of first issue: 03.08.2021

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / 6N