

19/12/70

DIRECTIONS FOR USE IN ALL STATES:
Dip cutting to desired rooting depth then place in propagation medium.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY OTHER MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

Avoid prolonged contact. Do not take internally. Do not re-use this container. Store in a cool dark place.

**GROWTH TECHNOLOGY
1091430 4713**

244 South Terrace,
South Fremantle, WA 6162
MADE IN AUSTRALIA

**KEEP OUT OF REACH
OF CHILDREN**

CLONEX

ACTIVE CONSTITUENT
3g/LINDOLE-3-BUTYRIC
ACID

ROOTING
HORMONE GEL

50ml

ANALYSIS: g/L Indole-3-Butyric Acid 3.0, Nitrate nitrogen 0.1, Water soluble phosphate 0.03, Potassium 0.075, Calcium 0.075, Magnesium 0.025, Sulphur 0.025, Iron 0.0025, Manganese 0.00147, Boron 0.00025, Copper 0.00025, Molybdenum 0.0001, Zinc 0.00025, Thiamine 0.002, Riboflavin 0.001, Nicotinamide 0.003, Calcium Pantothenate 0.0015, Pyridoxine 0.00067, Biotin 0.00001, Cyanocobalamin 0.0000006, Ascorbic acid 0.067

DIRECTIONS FOR USE IN ALL STATES:
Dip cutting to desired rooting depth then place in propagation medium.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY OTHER MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

Avoid prolonged contact. Do not take internally. Do not re-use this container. Store in a cool dark place.

**GROWTH TECHNOLOGY
(09) 430 4713**

244 South Terrace,
South Fremantle, WA 6162
MADE IN AUSTRALIA

**KEEP OUT OF REACH
OF CHILDREN**

CLONEX

ACTIVE CONSTITUENT
3g/LINDOLE-3-BUTYRIC
ACID

ROOTING
HORMONE GEL

50ml

ANALYSIS: g/L Indole-3-Butyric Acid 3.0, Nitrate nitrogen 0.1, Water soluble phosphate 0.03, Potassium 0.075, Calcium 0.075, Magnesium 0.025, Sulphur 0.025, Iron 0.0025, Manganese 0.00147, Boron 0.00025, Copper 0.00025, Molybdenum 0.0001, Zinc 0.00025, Thiamine 0.002, Riboflavin 0.001, Nicotinamide 0.003, Calcium Pantothenate 0.0015, Pyridoxine 0.00067, Biotin 0.00001, Cyanocobalamin 0.0000006, Ascorbic acid 0.067

ANALYSIS - g/L

Indole-3-Butyric Acid	8g/L
Nitrate nitrogen	0.1
Water soluble phosphate	0.03
Potassium	0.075
Calcium	0.075
Magnesium	0.025
Sulfur	0.025
Iron	0.0025
Manganese	0.001
Boron	0.00025
Copper	0.00025
Molybdenum	0.0001
Zinc	0.00025
Thiamine	0.001
Riboflavin	0.001
Nicotinamide	0.003
Calcium pantothenate	0.0015
Pyridoxine	0.00067
Biotin	0.00001
Cyanocobalamin	0.0000006
Ascorbic Acid	0.067
mono dipotassium phosphite	2.5

KEEP OUT OF REACH OF CHILDREN

Growth Technology



250 mls

Rooting Hormone Gel

recommended for hardwood cuttings

REDACTIVE CONSTITUENT
8g/L INDOLE - 3 - BUTYRIC ACID

DIRECTIONS FOR USE IN ALL STATES: Dip cutting to desired rooting depth then place in propagation medium.

WARNING: Avoid prolonged contact. Do not take internally. Do not re-use container. Store in a cool dark place.GROWTH TECHNOLOGY
a division of Growth Corporation Pty. Ltd.
244 Sth. Tce. Sth. Fremantle. WA 6162
- (09) 430 4713**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

DIRECTIONS FOR USE IN ALL STATES: Dip cutting to desired rooting depth then place in propagation medium.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY OTHER MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

Avoid prolonged contact. Do not take internally. Do not re-use this container. Store in a cool dark place.

GROWTH TECHNOLOGY
(09) 430 4713244 South Terrace,
South Fremantle, WA 6162
MADE IN AUSTRALIAKEEP OUT OF REACH
OF CHILDRENGrowth Technology
CLONEXACTIVE CONSTITUENT
8g/L INDOLE - 3 - BUTYRIC ACIDROOTING
HORMONE GEL

50ml

ANALYSIS: g/L Indole-3-Butyric Acid 8.0, Nitrate nitrogen 0.1, Water soluble phosphate 0.03, Potassium 0.075, Calcium 0.075, Magnesium 0.025, Sulphur 0.025, Iron 0.0025, Manganese 0.00147, Boron 0.00025, Copper 0.00025, Molybdenum 0.0001, Zinc 0.00025, Thiamine 0.002, Riboflavin 0.001, Nicotinamide 0.003, Calcium Pantothenate 0.0015, Pyridoxine 0.00067, Biotin 0.00001, Cyanocobalamin 0.0000006, Ascorbic acid 0.067

ANALYSIS - g/L

Indole-3-Butyric Acid	8g/L	Molybdenum	0.0001
Nitrate nitrogen	0.1	Zinc	0.00025
Water soluble phosphate	0.03	Thiamine	0.001
Potassium	0.075	Riboflavin	0.001
Calcium	0.075	Nicotinamide	0.003
Magnesium	0.025	Calcium pantothenate	0.0015
Sulfur	0.025	Pyridoxine	0.00067
Iron	0.0025	Biotin	0.00001
Manganese	0.001	Cyanocobalamin	0.0000006
Boron	0.00025	Ascorbic Acid	0.067
Copper	0.00025	mono dipotassium phosphite	2.5

ACTIVE CONSTITUENT
8g/L INDOLE - 3 - BUTYRIC ACID

DIRECTIONS FOR USE IN ALL STATES: Dip cutting to desired rooting depth then place in propagation medium.

WARNING: Avoid prolonged contact. Do not take internally. Do not re-use container. Store in a cool dark place.GROWTH TECHNOLOGY
a division of Growth Corporation Pty. Ltd.
244 Sth. Tce. Sth. Fremantle, WA 6162 - (09) 430 4713**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

KEEP OUT OF REACH OF CHILDREN

Growth Technology



1 Litre

Rooting Hormone Gel
PROFESSIONAL STRENGTH

recommended for hardwood cuttings

RED

ANALYSIS - g/L

Indole-3-Butyric Acid	15g/L
Nitrate nitrogen	0.1
Water soluble phosphate	0.03
Potassium	0.075
Calcium	0.075
Magnesium	0.025
Sulfur	0.025
Iron	0.0025
Manganese	0.001
Boron	0.00025
Copper	0.00025
Molybdenum	0.0001
Zinc	0.00025
Thiamine	0.001
Riboflavin	0.001
Nicotinamide	0.003
Calcium pantothenate	0.0015
Pyridoxine	0.00087
Biotin	0.00001
Cyanocobalamin	0.0000006
Ascorbic Acid	0.067
mono dipotassium phosphite	2.5

KEEP OUT OF REACH OF CHILDREN

Growth Technology



Rooting Hormone Gel
recommended for softwood cuttings

GREEN

ACTIVE CONSTITUENT
1.5g/L INDOLE-3-BUTYRIC ACID

DIRECTIONS FOR USE IN ALL STATES: Dip cutting to desired rooting depth then place in propagation medium.

WARNING: Avoid prolonged contact. Do not take internally. Do not re-use container. Store in a cool dark place.

GROWTH TECHNOLOGY
a division of Growth Corporation Pty. Ltd.
244 Stn. Tce. Stn. Fremantle, WA 6162
(09) 430 4713

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

ANALYSIS - g/L

Indole-3-Butyric Acid	15g/L	Molybdenum	0.0001
Nitrate nitrogen	0.1	Zinc	0.00025
Water soluble phosphate	0.03	Thiamine	0.001
Potassium	0.075	Riboflavin	0.001
Calcium	0.075	Nicotinamide	0.003
Magnesium	0.025	Calcium pantothenate	0.0015
Sulfur	0.025	Pyridoxine	0.00087
Iron	0.0025	Biotin	0.00001
Manganese	0.001	Cyanocobalamin	0.0000006
Boron	0.00025	Ascorbic Acid	0.067
Copper	0.00025	mono dipotassium phosphite	2.5

ACTIVE CONSTITUENT
1.5g/L INDOLE-3-BUTYRIC ACID

DIRECTIONS FOR USE IN ALL STATES: Dip cutting to desired rooting depth then place in propagation medium.

WARNING: Avoid prolonged contact. Do not take internally. Do not re-use container. Store in a cool dark place.

GROWTH TECHNOLOGY
a division of Growth Corporation Pty. Ltd.
244 Stn. Tce. Stn. Fremantle, WA 6162 - (09) 430 4713

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

KEEP OUT OF REACH OF CHILDREN

Growth Technology



Rooting Hormone Gel
PROFESSIONAL STRENGTH

recommended for softwood cuttings

GREEN