

Page: 1
Printed: 16/10/2020
Revision: 16/10/2020

Supersedes Revision: 08/10/2020

1. Product and Company Identification

Product Code: FGUS001, FGUS012, FGUS054, FGUS273

Product Name: BIO-FORGE Trade Name: BIO-FORGE

Company Name: Stoller Australia Pty Ltd

1 Creswell Road

Largs Bay

South Australia 5016

Web site address: www.stoller.com.au stoller@stoller.com.au

Emergency Contact: STOLLER PRODUCTION CHEMIST Contact

number: 08 8169-0988

Information: 1800 337-845
Intended Use: Fertilizer Solution

Synonyms: Nitrogen and Potassium fertilizer solution.

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2B

Acute Toxicity: Skin, Category 5
Acute Toxicity: Inhalation, Category 5
Acute Toxicity: Oral, Category 5



GHS Signal Word: Warning

GHS Hazard Phrases: H303 - May be harmful if swallowed.

H313 - May be harmful in contact with skin.

H320 - Causes eye irritation. H333 - May be harmful if inhaled. H350i - May cause cancer by inhalation

GHS Precaution Phrases: P264 - Wash hands thoroughly after handling.

GHS Response Phrases: P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P337+313 - If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal

Phrases:

No phrases apply.

Potential Health Effects

(Acute and Chronic):

Chronic: Not known. Expected toxicity hazard: slight to moderate.

Inhalation: Prolonged exposure to vapors may cause sore throat and irritation of respiratory tract.

Skin Contact: May cause discomfort, skin irritation or rash unless treated promptly.

Eye Contact: Contact with product may cause mild to severe irritation, blurred vision.

Ingestion: May cause malaise, nausea. Large doses may cause gastrointestinal pains or cramps.

Page: 2 Printed: 16/10/2020 Revision: 16/10/2020

Supersedes Revision: 08/10/2020

3. Composition/Information on Ingredients					
CAS#	Components (Chemical Name)	Concentration			
1310-58-3	Potassium hydroxide	<10.0 %			
57-13-6	Urea DF	<10.0 %			
10026-24-1	Cobalt sulfate heptahydrate	<10.0 %			

4. First Aid Measures

Emergency and First Aid

Procedures:

Victims of severe exposure to chemicals must be taken to health providing centers for medical attention. If necessary, also rescuers must be attended. Always bring with victim

a copy of label and SDS of product to health professional.

In Case of Inhalation: Move patient to fresh air. Supplemental oxygen may be needed. Assure mucous does

not obstruct airways. Seek medical attention if victim's breathing becomes difficult.

In Case of Skin Contact: Immediately wash affected area with abundant soap and water. Remove contaminated

clothing, taking care not to impregnate eyes. Seek medical attention if irritation occurs.

In Case of Eye Contact: Holding eyelids apart, immediately flush eyes with running water for at least 15 minutes.

Seek medical attention if severe irritation occurs.

In Case of Ingestion: Immediately contact a physician or poison control center for treatment advice. Victim

should drink milk, egg whites or large quantities of water and be induced to vomiting. Never give anything by mouth to someone who is unconscious, having convulsions or

unable to swallow.

Note to Physician: Symptomatic treatment.

5. Fire Fighting Measures

Flash Pt: N.A.

Explosive Limits: LEL: N.A. UEL: N.A.

Autoignition Pt: N.A.

Suitable Extinguishing Media: Use all means adequate to fight surrounding fire: water, foam, CO2, dry chemicals, etc.

Fire Fighting Instructions: None specific for this product, however, it is suggested that firefighters wear

self-contained breathing apparatus (SCBA) and full protective equipment, such as

chemical resistant clothing.

Flammable Properties and

Hazards:

Toxic fumes may be generated under fire conditions, or by contact with incompatible

materials.

Hazardous Combustion

No data available.

Products:

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures: In case of a large spill, protect people by clearing and isolating the affected area. Such releases should be responded to by trained personnel using pre-planned procedures. In the event of an incidental release, minimum Personal Protective Equipment must be worn: latex or rubber gloves and boots, goggles or full face-shield and coveralls or long sleeved shirt and pants.

Steps To Be Taken In Case Material Is Released Or Spilled: It is necessary to contain the spill into the smallest area possible by diking, scooping, shoveling, etc., and recover liquid into an appropriate container for salvage or later use, labeling it accordingly. If product is clean, use it as intended, following original label directions; should it get contaminated, salvage for proper disposal as waste. Absorb residual product onto dry carrier such as dirt, sand or any other absorbent material, then put in covered, labeled containers and dispose of as dry waste in accordance with Federal, State and Local waste disposal regulations.

Page: 3
Printed: 16/10/2020
Revision: 16/10/2020

Supersedes Revision: 08/10/2020

7. Handling and Storage

Precautions To Be Taken in Handling:

All personnel who handle this material should be trained to work with it safely. Avoid breathing vapors or mist; use in well-ventilated location. Wear appropriate protective equipment. Empty containers may contain residual liquid or vapors and therefore should be handled the same as full containers. Product must be kept in its original container, if repackaging for any reason, use vented caps.

Precautions To Be Taken in Storing:

Inspect all incoming containers before storage to ensure all are properly labeled and not damaged. Store in a cool, dry place, away from direct sunlight, sources of intense heat or where freezing is possible. Store away from food, feed, clothing materials and living quarters. Keep away from reach of children and pets. Whenever possible, place chemicals on secondary containers or diked area. Keep containers tightly closed when not in use.

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1310-58-3	Potassium hydroxide	No data.	TLV: 2 mg/m³ CEIL: 2 mg/m3	No data.
57-13-6	Urea DF	No data.	TLV: 10 mg/m³	No data.
10026-24-1	Cobalt sulfate heptahydrate	No data.	TLV: 100 mg/m³ as Co	No data.

CAS#	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
1310-58-3	Potassium hydroxide	Australia	TWA: 2 Peak limitation ()	
			STEL: ()	

Recommended Exposure

No occupantional exposure limits have been established for this mixture.

Limits:

Respiratory Equipment

(Specify Type):

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Use a NIOSH/OSHA or European Standard EN 149

approved respirator if irritation or other symptoms are experienced.

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Protective Gloves: Impervious gloves.

Other Protective Clothing: Long-sleeved shirt, long pants and protective shoes should be worn as a good safety

practice.

Engineering Controls

(Ventilation etc.):

General ventilation is usually adequate. Local exhaust should be used if needed for safe,

comfortable working conditions. An eye bath and washing facilities should be readily

available.

Work/Hygienic/Maintenance

Practices:

As a general rule, do not eat, drink, smoke, and/or chew gum or tobacco when handling

chemicals. Wash thoroughly after handling this product. Remove all dirty or

contaminated clothing and wash it before reusing.

Page: 4
Printed: 16/10/2020
Revision: 16/10/2020

		Supersedes Revision: 08/10/2020
	9. Physical and Chemical Properties	
Physical States:	[] Gas [X] Liquid [] Solid	
Appearance and Odor:	Translucent, clear to slightly colored (pinkish).	
	Slight, vinegar-like odor.	
pH:	4 - 6	
Melting Point:	N.A.	
Boiling Point:	> 100.00 C	
Flash Pt:	N.A.	
Evaporation Rate:	Similar to water	
Flammability (solid, gas):	Product is non-flammable.	
Explosive Limits:	LEL: N.A. UEL: N.A.	
Vapor Pressure (vs. Air or	N.E.	
mm Hg):		
Vapor Density (vs. Air = 1):	N.E.	
Specific Gravity (Water = 1):	1.16 - 1.18	
Density:	9.68 - 9.85 LB/GA	
Bulk density:	~ 9.8 LB/GA	
Solubility in Water:	Soluble	
Saturated Vapor	N.E.	
Concentration:		
Octanol/Water Partition	N.E.	
Coefficient:		
Percent Volatile:	N.D.	
Autoignition Pt:	N.A.	
Decomposition Temperature:	N.E.	
Viscosity:	N.E.	
Molecular Formula & Weight:	Proprietary 0.0	
	10. Stability and Reactivity	
Reactivity:	N.A.	
Stability:	Unstable [] Stable [X]	
Conditions To Avoid - Instability:	High heat. Mixture with incompatible materials.	
Incompatibility - Materials To Avoid:	Not known.	
Hazardous Decomposition or Byproducts:	Ammonia gas.	

Will occur [] Will not occur [X]

None known.

Possibility of Hazardous

Conditions To Avoid -

Hazardous Reactions:

Reactions:

Page: 5 Printed: 16/10/2020 Revision: 16/10/2020 Supersedes Revision: 08/10/2020

11. Toxicological Information

Toxicological Information:

Mutagenicity: The components of this product are not reported to produce mutagenic effects in humans. However, they are being investigated as mutagenic agents.

Embryotoxicity:

The components of this product are not reported to produce embryotoxic effects in humans.

Teratogenicity: The components of this product are not reported to produce teratogenic effects in humans.

Reproductive Toxicity: The components of this product are not reported to produce toxic reproductive effects in humans. However, urea is being investigated as a reproductive effector.

CAS# 1310-58-3: Acute toxicity, LD50, Oral, Rat, 273.0 MG/KG. Result: Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Lungs, Thorax, or Respiration: Tumors. Liver: Tumors.; Fundamental and Applied Toxicology., Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 8,97, 1987

CAS# 57-13-6: Acute toxicity, LD50, Oral, Rat, 8471. MG/KG. Result: Autonomic Nervous System: Other (direct) parasympathomimetic. Behavioral: Coma.

Gastrointestinal:Hypermotility, diarrhea.; Gigiena i Sanitariya, Mezhdunarodnaya Kniga,

ul. B. Yakimanka, 39, 113095, Moscow 113095 Russia, Vol/p/yr: 51(6),8, 1986

CAS# 10026-24-1: Acute toxicity, LD50, Oral, Rat, 582.0 MG/KG. Result: Behavioral:

Somnolence (general depressed activity). Behavioral: Ataxia.

Gastrointestinal: Hypermotility, diarrhea.; Acute Toxicity Data. Journal of the American College of Toxicology, Part B., Mary Ann Liebert, Inc., 1651 Third Ave., New York, NY

10128, Vol/p/yr: 1,688, 1992

Carcinogenicity/Other

Information:

No component is listed as a carcinogenic by IARC, NTP, OSHA, and ACGIH.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

General Ecological

Information:

The available data on this material does not indicate any undue hazard to the environment under anticipated use and storage. All work practices must be aimed at eliminating environmental contamination. Any waste due to spillage or leakage should be contained and disposed of accordingly, see above under Section 6 "Accidental Release

Measures."

Persistence and

Degradability:

No data available.

Bioaccumulative Potential: No data available. Mobility in Soil: No data available.

Licensed to Stoller USA: MIRS MSDS, (c) A V Systems, Inc.

GHS format

Page: 6
Printed: 16/10/2020
Revision: 16/10/2020

Supersedes Revision: 08/10/2020

13. Disposal Considerations

Waste Disposal Method: Waste disposal must be done following all Federal, State and Local regulations. This

product, if unaltered by use, may be disposed of by treatment at a permitted facility or as

advised by your local waste regulatory authority.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated. Trade Name: BIO-FORGE

DOT Hazard Class: UN/NA Number:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated. Trade Name: BIO-FORGE

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated. Trade Name: BIO-FORGE

Additional Transport

Reportable Quantity: N.A.

Information:

Placards / Markings: N.A.

Emergency Response Guide Number: N.A.

15. Regulatory Information

16. Other Information

Revision Date: 16/10/2020

Hazard Rating System:

Flammability Instability
Health
NFPA: Special Hazard

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer: