



Safety Data Sheet according to WHS Regulations

Revision: 23.11.2021

1 Identification

Printing date 23.11.2021

Product Name: Apparent Pilferer 500 Herbicide

Other Means of Identification: Mixture APVMA Approval Number: 68267

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

Details of Manufacturer or Importer:

AIRR Apparent Pty Ltd 15/16 Princes Street Newport, NSW, 2106

Phone Number: 03 5820 8400

Emergency telephone number: 0437 303 689

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.

Not subject to the ADG Code when transported in Australia by Road or Rail in packages 500kg(L) or less; or IBCs (refer to SP AU01). However if transported by Air or Sea, this provision does not apply.



Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.



Environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

Signal Word Warning

Hazard Statements

H351 Suspected of causing cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P391 Collect spillage. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

according to WHS Regulations

Printing date 23.11.2021 Revision: 23.11.2021

Product Name: Apparent Pilferer 500 Herbicide

(Contd. of page 1)

Hazardous Components:		
CAS: 23950-58-5	Propyzamide (ISO)	<50%
	♦ Carcinogenicity 2, H351; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 107-21-1	1,2-Ethanediol	<5%
	♦ Acute Toxicity (Oral) 4, H302; STOT SE 3, H335	

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if symptoms persist.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause mild irritation.

Skin Contact: May cause skin irritation, itchiness and reddening.

Eye Contact: May cause eye irritation, stinging, reddening and watering. Prolonged exposure or delayed

treatment may cause permanent eye damage.

Ingestion: May cause irritation, reddening and burning sensation to mouth and throat.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog, foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and oxides of nitrogen.

Product is not flammable. However, may burn in a larger fire.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

HAZCHEM Code: •3Z

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, safety glasses, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

(Contd. on page 3)

according to WHS Regulations

Printing date 23.11.2021 Revision: 23.11.2021

Product Name: Apparent Pilferer 500 Herbicide

(Contd. of page 2)

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from direct sunlight. Keep away from strong oxidising agents, strong acids and strong bases.

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 107-21-1 1,2-Ethanediol

WES STEL: 104** mg/m³, 40** ppm TWA: 10* 52** mg/m³, 20** ppm

Sk;*particulate;**vapour

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

Respiratory Protection:

Respiratory protection is not required under normal use conditions.

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Impervious gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Viscous liquid Colour: Light brown

Odour: Mild

Odour Threshold: No information available

pH-Value: ~ 7 Melting point/freezing point: ~ 0 °C

Initial Boiling Point/Boiling Range: ~100 °C (at 100 kPa)

(Contd. on page 4)

according to WHS Regulations

Printing date 23.11.2021 Revision: 23.11.2021

Product Name: Apparent Pilferer 500 Herbicide

(Contd. of page 3)

Flash Point: Not applicable

Flammability: Product is not flammable
Auto-ignition Temperature: No information available
Decomposition Temperature: No information available

Explosion Limits:

Lower: No information available Upper: No information available

Vapour Pressure at 20 °C: 2.37 kPa (water vapour pressure)

Relative Density at 20 °C: 1.14- 1.20

Vapour Density:

Evaporation Rate:

Solubility in Water:

Partition Coefficient (n-octanol/water):

No information available
Suspends into water

No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid:

This product is likely to decompose only after heating to dryness, followed by further strong heating.

Incompatible Materials: Strong oxidising agents, strong acids and strong bases.

Hazardous Decomposition Products: Oxides of carbon and oxides of nitrogen.

11 Toxicological Information

Toxicity:

LD50/LC50 Values Relevant for Classification:				
CAS: 23	CAS: 23950-58-5 Propyzamide (ISO)			
Oral	LD50	10,000 mg/kg (dog)		
		5,620-8,350 mg/kg (rat)		
	LD50	>3,160 mg/kg (rabbit)		
Inhalatio	n LC50/4 h	>5 mg/l (rat)		
CAS: 10	CAS: 107-21-1 1,2-Ethanediol			
Oral	LD50	5,840 mg/kg (rat)		
	LD50	9,530 mg/kg (rabbit)		

Acute Health Effects

Inhalation: May cause mild irritation.

Skin: May cause skin irritation, itchiness and reddening.

Eye: May cause eye irritation, stinging, reddening and watering.

Ingestion: May cause irritation, reddening and burning sensation to mouth and throat.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Propyzamide (ISO) is classified by Safe Work Australia as Carcinogen Category 3.

Suspected of causing cancer.

(Contd. on page 5)

according to WHS Regulations

Printing date 23.11.2021 Revision: 23.11.2021

Product Name: Apparent Pilferer 500 Herbicide

(Contd. of page 4)

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: Prolonged exposure or delayed treatment may cause permanent eye damage.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for propyzamide for a human is 0.04 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the LOAEL of 40 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2021).

Prolonged exposure may cause decreased weight gain, changes in blood chemistry, increased liver weight and changes to thyroid, adrenal and pituitary function in laboratory animals.

12 Ecological Information

Ecotoxicity: Propyzamide is practically non-toxic to birds and bees.

Aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

CAS: 23950-58-5 Propyzamide (ISO)		
LC50/96 h	100 mg/l (bluegill)	
	350 mg/l (goldfish)	
	150 mg/l (guppy)	
	72 mg/l (rainbow trout)	
LC50/48 h	>5.6 mg/l (daphnia)	
CAS: 107-2	CAS: 107-21-1 1,2-Ethanediol	
EC50/48 h	49,000 mg/l (daphnia)	
EC50/96 h	6,500-13,000 mg/l (green algae)	

Persistence and Degradability: Moderately persistent. Half-life in soil is 60 days.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil:

Propyzamide is not readily soluble in water, and is strongly adsorbed to soil particles. Propyzamide has low mobility in soil and very little leaching is expected.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

LC50/96 h | 22,810 mg/l (rainbow trout)

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

(Contd. on page 6)

according to WHS Regulations

Printing date 23.11.2021 Revision: 23.11.2021

Product Name: Apparent Pilferer 500 Herbicide

(Contd. of page 5)

14 Transport Information

UN Number

ADG, IMDG, IATA UN3082

Proper Shipping Name

ADG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Propyzamide (ISO))

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Propyzamide (ISO)), MARINE

POLLUTANT

Dangerous Goods Class

ADG Class: 9

Subsidiary Risk:

Packing Group:

ADG, IMDG, IATA

Marine pollutant: Symbol (fish and tree)

EMS Number: F-A,S-F

Hazchem Code: •3Z

Special Provisions: 274, 331, 335, 375, AU01

Transport/Additional information: Not subject to the ADG Code when transported in

Australia by Road or Rail in packages 500kg(L) or less;

or IBCs (refer to SP AU01)

Limited Quantities: 5L

Packagings & IBCs - Packing Instruction: P001, IBC03, LP01

Packagings & IBCs - Special Packing Provisions: PP1
Portable Tanks & Bulk Containers - Instructions: T4

Portable Tanks & Bulk Containers - Special

Provisions: TP1, TP29

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All components are on the inventory, or in compliance with the inventory.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 6

Australian Pesticides and Veterinary Medicines Authority:

This product is registered with the Australian Pesticides and Veterinary Medicines Authority. APVMA number 68267.

16 Other Information

Date of Preparation or Last Revision: 23.11.2021

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

Abbreviations and acronyms: ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

(Contd. on page 7)

according to WHS Regulations

Printing date 23.11.2021 Revision: 23.11.2021

Product Name: Apparent Pilferer 500 Herbicide

(Contd. of page 6)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average
NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity - Category 4

Carcinogenicity 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. AIRR Apparent Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.